Search Results -

Terms	Documents
L21 and (send\$ or transmit\$ or trnsfer\$) near4 client\$ near8 server\$	8

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:





Interrupt

Search History

Set Nam side by sid		Hit Count S	Set Name result set
DB = U	SPT; PLUR=YES; OP=ADJ		
<u>L22</u>	L21 and (send\$ or transmit\$ or trnsfer\$) near4 client\$ near8 server\$	8	<u>L22</u>
<u>L21</u>	111 and client and server	24	<u>L21</u>
<u>L20</u>	6438540.pn.	1	<u>L20</u>
<u>L19</u>	6098071.pn.	1	<u>L19</u>
<u>L18</u>	6108676.pn.	1	<u>L18</u>
<u>L17</u>	6128617.pn.	1	<u>L17</u>
<u>L16</u>	6438540.pn.	1	<u>L16</u>
<u>L15</u>	6438540.pn.	1	<u>L15</u>
<u>L14</u>	6480860.pn.	1	<u>L14</u>
<u>L13</u>	6510434.pn.	1	<u>L13</u>
<u>L12</u>	L11 and xml	1	<u>L12</u>
<u>L11</u>	L10 and (transmit\$ or transfer\$ or send\$) near9 request\$	59	<u>L11</u>
<u>L10</u>	15 and (request\$ near4 predetermin\$ near4 format\$)	65	<u>L10</u>
<u>L9</u>	6182080.pn.	1	<u>L9</u>

<u>L8</u>	6175948.pn.	1	<u>L8</u>
<u>L7</u>	6167564.pn.	1	<u>L7</u>
<u>L6</u>	6134539.pn.	1	<u>L6</u>
<u>L5</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request\$	37521	<u>L5</u>
<u>L4</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request	33747	<u>L4</u>
<u>L3</u>	5832275.pn.	1	<u>L3</u>
<u>L2</u>	5608903.pn.	1	<u>L2</u>
<u>L1</u>	5493508.pn.	1	<u>L1</u>

Search Results -

Terms	Documents
L23 and xml	0


US Patents Full-Text Database
US OCR Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

US Pre-Grant Publication Full-Text Database

Search:



Search History

Set Name side by side	Query	Hit Count	Set Name result set
DB = U	SPT; PLUR=YES; OP=ADJ		
<u>L34</u>	123 and xm1	0	<u>L34</u>
<u>L33</u>	123 and (format\$ or \$format\$)	1	<u>L33</u>
<u>L32</u>	123 and (transmit\$ or trnasfer\$ or send\$) near9 request\$ near9 server\$	1	<u>L32</u>
<u>L31</u>	123 and (transmit\$ or trnasfer\$ or send\$) near9 request\$ near9 server\$	1	<u>L31</u>
<u>L30</u>	123 and (request\$ near9 format\$)	1	<u>L30</u>
<u>L29</u>	l23 and (translat\$ or convert\$ or transform\$ or chang\$) near9 (request\$ or format\$)	1	<u>L29</u>
<u>L28</u>	123 and (information\$ same server\$)	1	<u>L28</u>
<u>L27</u>	123 and (information\$ near9 server\$)	0	<u>L27</u>
<u>L26</u>	L25 and information\$	1	<u>L26</u>
<u>L25</u>	123 and (originat\$ or creat\$ or mak\$ or generat\$) near9 request\$	1	<u>L25</u>
<u>L24</u>	L23 and request\$ and format\$	1	<u>L24</u>
<u>L23</u>	5499343.pn.	1	<u>L23</u>

<u>L22</u>	L21 and (send\$ or transmit\$ or trnsfer\$) near4 client\$ near8 server\$	8	<u>L22</u>
<u>L21</u>	111 and client and server	24	<u>L21</u>
<u>L20</u>	6438540.pn.	1	<u>L20</u>
<u>L19</u>	6098071.pn.	1	<u>L19</u>
<u>L18</u>	6108676.pn.	1	<u>L18</u>
<u>L17</u>	6128617.pn.	1	<u>L17</u>
<u>L16</u>	6438540.pn.	1	<u>L16</u>
<u>L15</u>	6438540.pn.	1	<u>L15</u>
L14	6480860.pn.	1	<u>L14</u>
<u>L13</u>	6510434.pn.	1	<u>L13</u>
<u>L12</u>	L11 and xml	1	<u>L12</u>
<u>L11</u>	L10 and (transmit\$ or transfer\$ or send\$) near9 request\$	59	L11
<u>L10</u>	15 and (request\$ near4 predetermin\$ near4 format\$)	65	<u>L10</u>
<u>L9</u>	6182080.pn.	1	<u>L9</u>
<u>L8</u>	6175948.pn.	1	L8
<u>L7</u>	6167564.pn.	1	<u>L7</u>
<u>L6</u>	6134539.pn.	1	<u>L6</u>
<u>L5</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request\$	37521	<u>L5</u>
<u>L4</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request	33747	<u>L4</u>
<u>L3</u>	5832275.pn.	1	<u>L3</u>
<u>L2</u>	5608903.pn.	1	<u>L2</u>
<u>L1</u>	5493508.pn.	1	<u>L1</u>

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L23 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$ or plural\$ or multi\$)	1

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Search:	L57	E	Refine Search
	Recall Text Clear		Interrupt

Search History

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB = U	JSPT; PLUR=YES; OP=ADJ		
<u>L57</u>	123 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$ or plural\$ or multi\$)	1	<u>L57</u>
<u>L56</u>	L54 and (plural\$ or multi\$ or different\$) near9 (request\$ or information\$)	1	<u>L56</u>
<u>L55</u>	L54 and pars\$ near9 (request\$ or information\$)	0	<u>L55</u>
<u>L54</u>	6665662.pn.	1	<u>L54</u>
<u>L53</u>	123 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$) same (information\$ or request\$)	1	<u>L53</u>
<u>L52</u>	143 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$) same (information\$ or request\$)	0	<u>L52</u>
<u>L51</u>	143 and (field\$ or part\$ or different\$ or piece\$) near9 information\$	0	<u>L51</u>
<u>L50</u>	123 and (field\$ or part\$ or different\$ or piece\$) near9 information\$	1	<u>L50</u>

L49	123 and (field\$ or part\$) near9 information\$	1	<u>L49</u>
<u>L48</u>	123 and pars\$	0	L48
<u>L47</u>	123 and (pars\$ or process\$) near9 (request\$ or information\$)	1	L47
<u>L46</u>	123 and request\$ near9 (address\$ or location\$)	1	L46
L45	123 and (locat\$ or point\$ or address\$) same (server\$)	1	L45
L44	L43 and http\$	1	L44
L43	6530025.pn.	1	L43
<u>L42</u>	123 and protocol\$	1	<u>L42</u>
<u>L41</u>	123 and protocol\$ and (secur\$ or authetic\$ or trust\$ or password\$)	0	L41
<u>L40</u>	123 and http	0	L40
<u>L39</u>	123 and (receiv\$ near9 client\$)	1	L39
<u>L38</u>	123 and (receiv\$ near9 client\$) near9(format\$ or reformat\$)	0	L38
<u>L37</u>	123 and (receiv\$ near9 client\$) near(format\$ or reformat\$)	0	<u>L37</u>
<u>L36</u>	123 and format\$ and reformat\$	1	<u>L36</u>
<u>L35</u>	123 and access\$	1	<u>L35</u>
<u>L34</u>	123 and xml	0	<u>L34</u>
<u>L33</u>	123 and (format\$ or \$format\$)	1	<u>L33</u>
<u>L32</u>	123 and (transmit\$ or trnasfer\$ or send\$) near9 request\$ near9 server\$	1	<u>L32</u>
<u>L31</u>	123 and (transmit\$ or trnasfer\$ or send\$) near9 request\$ near9 server\$	1	<u>L31</u>
<u>L30</u>	123 and (request\$ near9 format\$)	1	<u>L30</u>
<u>L29</u>	l23 and (translat\$ or convert\$ or transform\$ or chang\$) near9 (request\$ or format\$)	1	<u>L29</u>
<u>L28</u>	123 and (information\$ same server\$)	1	<u>L28</u>
<u>L27</u>	123 and (information\$ near9 server\$)	0	<u>L27</u>
<u>L26</u>	L25 and information\$	1	<u>L26</u>
<u>L25</u>	123 and (originat\$ or creat\$ or mak\$ or generat\$) near9 request\$	1	<u>L25</u>
<u>L24</u>	L23 and request\$ and format\$	1	<u>L24</u>
<u>L23</u>	5499343.pn.	1	<u>L23</u>
<u>L22</u>	L21 and (send\$ or transmit\$ or trnsfer\$) near4 client\$ near8 server\$	8	<u>L22</u>
<u>L21</u>	111 and client and server	24	<u>L21</u>
<u>L20</u>	6438540.pn.	1	<u>L20</u>
<u>L19</u>	6098071.pn.	1	<u>L19</u>
<u>L18</u>	6108676.pn.	1	<u>L18</u>
<u>L17</u>	6128617.pn.	1	<u>L17</u>
<u>L16</u>	6438540.pn.	1	<u>L16</u>
<u>L15</u>	6438540.pn.	1	<u>L15</u>
<u>L14</u>	6480860.pn.	1	<u>L14</u>
<u>L13</u>	6510434.pn.	1	<u>L13</u>
<u>L12</u>	L11 and xml	1	<u>L12</u>
<u>L11</u>	L10 and (transmit\$ or transfer\$ or send\$) near9 request\$	59	<u>L11</u>
<u>L10</u>	15 and (request\$ near4 predetermin\$ near4 format\$)	65	<u>L10</u>
<u>L9</u>	6182080.pn.	1	<u>L9</u>

<u>L8</u>	6175948.pn.	1	<u>L8</u>
<u>L7</u>	6167564.pn.	1	<u>L7</u>
<u>L6</u>	6134539.pn.	1	<u>L6</u>
<u>L5</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request\$	37521	<u>L5</u>
<u>L4</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request	33747	<u>L4</u>
<u>L3</u>	5832275.pn.	1	<u>L3</u>
<u>L2</u>	5608903.pn.	1	<u>L2</u>
<u>L1</u>	5493508.pn.	1	<u>L1</u>

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L54 and (plural\$ or multi\$ or different\$) near9 (request\$ or information\$)	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

l23 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$ or plural\$ or multi\$)

Refine Search

::Recall Text 👄

Clear

Interrupt

Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set			
DB=USPT; PLUR=YES; OP=ADJ						
<u>L56</u>	L54 and (plural\$ or multi\$ or different\$) near9 (request\$ or information\$)	1	<u>L56</u>			
<u>L55</u>	L54 and pars\$ near9 (request\$ or information\$)	0	<u>L55</u>			
<u>L54</u>	6665662.pn.	1	<u>L54</u>			
<u>L53</u>	123 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$) same (information\$ or request\$)	1	<u>L53</u>			
<u>L52</u>	143 and (field\$ or part\$ or different\$ or piece\$ or divid\$ or split\$) same (information\$ or request\$)	0	<u>L52</u>			
<u>L51</u>	143 and (field\$ or part\$ or different\$ or piece\$) near9 information\$	0	<u>L51</u>			
<u>L50</u>	123 and (field\$ or part\$ or different\$ or piece\$) near9 information\$	1	<u>L50</u>			
<u>L49</u>	123 and (field\$ or part\$) near9 information\$	1	<u>L49</u>			

L48	123 and pars\$	0	L48
L47	123 and (pars\$ or process\$) near9 (request\$ or information\$)	1	L47
L46	123 and request\$ near9 (address\$ or location\$)	1	L46
L45	123 and (locat\$ or point\$ or address\$) same (server\$)	1	L45
L44	L43 and http\$	1	L44
L43	6530025.pn.	1	L43
L42	123 and protocol\$	1	<u>L42</u>
L41	123 and protocol\$ and (secur\$ or authetic\$ or trust\$ or password\$)	0	L41
L40	123 and http	0	<u>L40</u>
L39	123 and (receiv\$ near9 client\$)	1	L39
L38	123 and (receiv\$ near9 client\$) near9(format\$ or reformat\$)	0	L38
L37	123 and (receiv\$ near9 client\$) near(format\$ or reformat\$)	0	L37
L36	123 and format\$ and reformat\$	1	L36
L35	123 and access\$	1	L35
L34	123 and xml	0	 L34
L33	123 and (format\$ or \$format\$)	1	L33
L32	123 and (transmit\$ or trnasfer\$ or send\$) near9 request\$ near9 server\$	1	<u>L32</u>
L31	123 and (transmit\$ or trnasfer\$ or send\$) near9 request\$ near9 server\$	1	L31
L30	123 and (request\$ near9 format\$)	1	<u>L30</u>
L29	123 and (translat\$ or convert\$ or transform\$ or chang\$) near9 (request\$ or format\$)	1	<u>L29</u>
<u>L28</u>	123 and (information\$ same server\$)	1	<u>L28</u>
<u>L27</u>	123 and (information\$ near9 server\$)	0	<u>L27</u>
<u>L26</u>	L25 and information\$	1	<u>L26</u>
<u>L25</u>	123 and (originat\$ or creat\$ or mak\$ or generat\$) near9 request\$	1	<u>L25</u>
<u>L24</u>	L23 and request\$ and format\$	1	<u>L24</u>
<u>L23</u>	5499343.pn.	1	<u>L23</u>
<u>L22</u>	L21 and (send\$ or transmit\$ or trnsfer\$) near4 client\$ near8 server\$	8	<u>L22</u>
L21	111 and client and server	24	<u>L21</u>
<u>L20</u>	6438540.pn.	1	<u>L20</u>
<u>L19</u>	6098071.pn.	1	<u>L19</u>
<u>L18</u>	6108676.pn.	1	<u>L18</u>
<u>L17</u>	6128617.pn.	1	<u>L17</u>
<u>L16</u>	6438540.pn.	1	<u>L16</u>
<u>L15</u>	6438540.pn.	1	<u>L15</u>
<u>L14</u>	6480860.pn.	1	<u>L14</u>
<u>L13</u>	6510434.pn.	1	<u>L13</u>
<u>L12</u>	L11 and xml	1	<u>L12</u>
<u>L11</u>	L10 and (transmit\$ or transfer\$ or send\$) near9 request\$	59	<u>L11</u>
<u>L10</u>	15 and (request\$ near4 predetermin\$ near4 format\$)	65	<u>L10</u>
<u>L9</u>	6182080.pn.	1	<u>L9</u>
<u>L8</u>	6175948.pn.	1	<u>L8</u>

<u>L7</u>	6167564.pn.	1	<u>L7</u>
<u>L6</u>	6134539.pn.	1	<u>L6</u>
<u>L5</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request\$	37521	<u>L5</u>
<u>L4</u>	(originat\$ or creat\$ or generat\$ or mak\$) near4 request	33747	<u>L4</u>
<u>L3</u>	5832275.pn.	1	<u>L3</u>
<u>L2</u>	5608903.pn.	1	<u>L2</u>
<u>L1</u>	5493508.pn.	1	<u>L1</u>